
Site To Download Open Access Research Hypertension Prevalence Awareness

This is likewise one of the factors by obtaining the soft documents of this **Open Access Research Hypertension Prevalence Awareness** by online. You might not require more mature to spend to go to the book initiation as competently as search for them. In some cases, you likewise accomplish not discover the revelation Open Access Research Hypertension Prevalence Awareness that you are looking for. It will unconditionally squander the time.

However below, behind you visit this web page, it will be so categorically easy to get as well as download guide Open Access Research Hypertension Prevalence Awareness

It will not agree to many epoch as we notify before. You can reach it even if enactment something else at home and even in your workplace. therefore easy! So, are you question? Just exercise just what we present below as skillfully as evaluation **Open Access Research Hypertension Prevalence Awareness** what you gone to read!

H6D1SW - ADELAIDE MELENDEZ

RESEARCH ARTICLE Open Access. Prevalence of hypertension and associated cardiovascular risk factors in an urban slum in Nairobi, Kenya: A population-based survey. Mark David Joshi^{1*}, Richard Ayah², Elijah Kaharo Njau¹, Rosemary Wanjiru¹, Joshua Kyateesa Kayima¹, Erastus Kennedy Njeru² and Kenneth Kipyegon Mutai³.

RESEARCH ARTICLE Open Access Hypertension, kidney disease ...

The prevalence of hypertension was very high in this population, coupled with low detection, treatment and control rates. Age, gender and excess weight were the main ... Open Access Research Downloaded from bmjopen.bmj.com on May 25, 2014 - Published by group.bmj.com. Hypertension prevalence, awareness,

treatment and control in national surveys from England, the USA and Canada, and correlation with stroke and ischaemic heart disease mortality: a cross-sectional study Michel Joffres,¹ Emanuela Falaschetti,² Cathleen Gillespie,³ Cynthia Robitaille,⁴ Fleetwood Loustalot,³ Neil Poulter,⁵ Finlay A McAlister,⁶ Helen Johansen,⁷

Prevalence of hypertension The mean systolic and diastolic BP results were 120.2mmHg (\pm 19.6 SD) and 72.4 mmHg (\pm 10.5 SD). The overall prevalence of hypertension was 28.3% (95% CI: 24.9-31.7), slightly lower in men (26.0%) than women (30.3%) though the difference was not statistically significant ($X^2=1.57$, $P= 0.211$). Among all hypertensive people

Open Access Information - AHA Journals

RESEARCH ARTICLE Open Access Hypertension awareness, treatment and control in Africa: a systematic review James Kayima1*, Rhoda K Wanyenze2, Achilles Katamba3, Elli Leontsini4 and Fred Nuwaha2 Abstract Background: Inadequate diagnosis and suboptimal control of hypertension is a major driver of cardiovascular

Open Access Research Hypertension Prevalence

RESEARCH Open Access Severe obesity in children ...

RESEARCH ARTICLE Open Access The relationship of ethnicity ...

Prevalence of hypertension. Hypertension was seen in over half of all 65-75 year olds, with the rate significantly higher than in the age bands below 45 years. Only 29 people had been treated with anti-hypertensive medication in the previous 2 weeks, and in only 22 of these (75.9%) was BP adequately controlled.

RESEARCH ARTICLE Open Access The relationship of ethnicity to the prevalence and management of hypertension and associated ... Results: The crude prevalence of hypertension was 9.5%, and by ethnicity was 8.2% for White, 11.3% for South Asian and 11.1% for Black groups. The prevalence of CKD stages 3-5 among those with hypertension was 22%.

Hypertension An Open Access About the Journal Hypertension: An Open Access is a peer-reviewed, online journal providing a forum for clinicians and basic scientists interested in blood pressure regulation and pathophysiology, as well as treatment and prevention of hypertension.

RESEARCH ARTICLE Open Access Prevalence and associated ...

Open Access Information. With the ad-

vent of Open Access publishing, authors can now select whether their accepted, Original Research articles will be copyrighted as per the current model, or whether an Open Access Agreement is a better fit. Some funding agencies (eg, Research Councils UK) now request or require that their funded authors use an Open Access Agreement.

In the National Health and Nutrition Examination Survey (NHANES), hypertension prevalence rises rapidly by age from 7.3% (95% CI 6.4-8.2) for subjects aged 18 to 39 years to 66.3% (95% CI 64.5%-68.1%) in subjects older than 60 years. 23 Our study does not provide direct evidence to explain the higher hypertension prevalence, but, according to the current literature, possible explanations could be an unhealthy lifestyle (alcohol intake, smoking, low physical activity), or increase in BMI ...

hypertension using the national sample (NHANES) allowed us to re-calibrate sensitivity and specificity estimates for the HEP sample. The adjusted estimates of hypertension in the HEP sample based on two different correction models, 38.1% and 40.5%, were much closer to the observed hypertension prevalence of 40.1%.

2 haofib et al BM Open 2199e2721 doi11136bmjopen2182721 Open access prevalence rate of hypertension increased⁵; however, the awareness, treatment and control rates were still low.⁶ The 2017 American Heart Association (AHA)/American College of Cardiology (ACC) guideline for the prevention, detection, evaluation and management of

Open access Research Hypertension prevalence alteration in ...

RESEARCH Open Access Differences in prevalence of hypertension subtypes according to the 2018 Korean Society of Hy-

pertension and 2017 American College of Cardiology/American Heart Association guidelines: The Korean National Health and Nutrition Examination Survey, 2007–2017 (KNHANES IV-VII) So Mi Jemma Cho 1,2, Hokyoo Lee2,3 and Hyeon Chang Kim2* Abstract

Open Access Research Hypertension prevalence, awareness ...

RESEARCH Open Access Severe obesity in children: prevalence, persistence and relation to hypertension Joan C Lo1,2*, Malini Chandra1, Alan Sinaiko3, Stephen R Daniels4, Ronald J Prineas5, Benjamin Maring2, Emily D Parker6, Nancy E Sherwood6, Matthew F Daley7, Elyse O Kharbanda6, Kenneth F Adams6, David J Magid4,7,

Out-of-office (home or ambulatory 24 hour) BP measurements revealed that: (i) a 54% prevalence of actual hypertension in RA, in other words almost 10% of the patients were unaware of having hypertension and (ii) 29% of the RA patients with known hypertension were not well controlled.

RESEARCH ARTICLE Open Access Prevalence of hypertension ...

Hypertension An Open Access - Gavin Publishers

RESEARCH ARTICLE Open Access The prevalence of traditional herbal medicine use among hypertensives living in South African communities Gail D Hughes1*, Oluwaseyi M Aboyade1, Bobby L Clark2 and Thandi R Puoane3 Abstract

RESEARCH ARTICLE Open Access Arterial hypertension assessed Prevalence and Incidence of Hypertension in the General ...

ORIGINAL RESEARCH Open Access Prevalence of hypertension ...

RESEARCH ARTICLE Open Access Hypertension, kidney disease, HIV and an-

tiretroviral therapy among Tanzanian adults: a cross-sectional study Robert N Peck1,2,3*, Rehema Shedafa1, Samuel Kalluvya1,2, Jennifer A Downs1,2,3, Jim Todd4, Manikkam Suthanthiran5, Daniel W Fitzgerald3 and Johannes B Kataraihya1,2 Abstract

RESEARCH Open Access Prevalence, awareness, treatment and control of hypertension and their determinants: results from a national survey in Kenya Shukri F. Mohamed1,2*, Martin K. Mutua1, Richard Wamai3, Frederick Wekesah1,4, Tilahun Haregu1, Pamela Juma1, Loise Nyanjau5, Catherine Kyobutungi1 and Elijah Ogola6 Abstract

RESEARCH ARTICLE Open Access Prevalence and risk factors ...

RESEARCH Open Access Prevalence, awareness, treatment and ...

ORIGINAL RESEARCH Open Access Prevalence of hypertension and its correlates in Lusaka urban district of Zambia: a population based survey Fastone M Goma 1, Selestine H Nzala 2, Olusegun Babaniyi 3, Peter Songolo 3, Cosmos Zyaambo 2, Emmanuel Rudatsikira 4, Seter Siziya 2* and Adamson S Muula 5 Abstract

RESEARCH ARTICLE Open Access. Prevalence and risk factors for resistant hypertension among hypertensive patients from a developing country. WA Nuwan Kumara1, Thisara Perera1,2, Mekhala Disanayake1,2, Priyanga Ranasinghe3* and Godwin R Constantine1.

RESEARCH Open Access Differences in prevalence of ...

RESEARCH ARTICLE Open Access The prevalence of traditional ...

Downloaded from bmjopen.bmj.com on May 25, 2014 ...

Open Access Research Hypertension Prevalence

Hypertension prevalence, awareness,

treatment and control in national surveys from England, the USA and Canada, and correlation with stroke and ischaemic heart disease mortality: a cross-sectional study Michel Joffres,¹ Emanuela Falaschetti,² Cathleen Gillespie,³ Cynthia Robitaille,⁴ Fleetwood Loustalot,³ Neil Poulter,⁵ Finlay A McAlister,⁶ Helen Johansen,⁷

Open Access Research Hypertension prevalence, awareness ...

2 haofib et al BM Open 2199e2721 doi11136bmjopen2182721 Open access prevalence rate of hypertension increased⁵; however, the awareness, treatment and control rates were still low.⁶ The 2017 American Heart Association (AHA)/American College of Cardiology (ACC) guideline for the prevention, detection, evaluation and management of

Open access Research Hypertension prevalence alteration in ...

RESEARCH Open Access Differences in prevalence of hypertension subtypes according to the 2018 Korean Society of Hypertension and 2017 American College of Cardiology/American Heart Association guidelines: The Korean National Health and Nutrition Examination Survey, 2007–2017 (KNHANES IV-VII) So Mi Jemma Cho ^{1,2}, Hokyoo Lee^{2,3} and Hyeon Chang Kim^{2*} Abstract

RESEARCH Open Access Differences in prevalence of ...

RESEARCH Open Access Prevalence, awareness, treatment and control of hypertension and their determinants: results from a national survey in Kenya Shukri F. Mohamed^{1,2*}, Martin K. Mutua¹, Richard Wamai³, Frederick Wekesah^{1,4}, Tilahun Haregu¹, Pamela Juma¹, Loise Nyanjau⁵, Catherine Kyobutungi¹ and Elijah Ogola⁶ Abstract

RESEARCH Open Access Prevalence, awareness, treatment and ...

Prevalence of hypertension The mean systolic and diastolic BP results were 120.2mmHg (\pm 19.6 SD) and 72.4 mmHg (\pm 10.5 SD). The overall prevalence of hypertension was 28.3% (95% CI: 24.9-31.7), slightly lower in men (26.0%) than women (30.3%) though the difference was not statistically significant ($X^2=1.57$, $P= 0.211$). Among all hypertensive people

RESEARCH ARTICLE Open Access Prevalence and associated ...

Hypertension An Open Access About the Journal Hypertension: An Open Access is a peer-reviewed, online journal providing a forum for clinicians and basic scientists interested in blood pressure regulation and pathophysiology, as well as treatment and prevention of hypertension.

Hypertension An Open Access - Gavin Publishers

ORIGINAL RESEARCH Open Access Prevalence of hypertension and its correlates in Lusaka urban district of Zambia: a population based survey Fastone M Goma ¹, Selestine H Nzala ², Olusegun Babaniyi ³, Peter Songolo ³, Cosmos Zyaambo ², Emmanuel Rudatsikira ⁴, Seter Siziya ^{2*} and Adamson S Muula ⁵ Abstract

ORIGINAL RESEARCH Open Access Prevalence of hypertension ...

In the National Health and Nutrition Examination Survey (NHANES), hypertension prevalence rises rapidly by age from 7.3% (95% CI 6.4–8.2) for subjects aged 18 to 39 years to 66.3% (95% CI 64.5%–68.1%) in subjects older than 60 years. ²³ Our study does not provide direct evidence to explain the higher hypertension prevalence, but, according to the current literature, possible explana-

tions could be an unhealthy lifestyle (alcohol intake, smoking, low physical activity), or increase in BMI ...

Prevalence and Incidence of Hypertension in the General ...

RESEARCH ARTICLE Open Access. Prevalence of hypertension and associated cardiovascular risk factors in an urban slum in Nairobi, Kenya: A population-based survey. Mark David Joshi^{1*}, Richard Ayah², Elijah Kaharo Njau¹, Rosemary Wanjiru¹, Joshua Kyateesa Kayima¹, Erastus Kennedy Njeru² and Kenneth Kipyegon Mutai³.

RESEARCH ARTICLE Open Access Prevalence of hypertension ...

hypertension using the national sample (NHANES) allowed us to re-calibrate sensitivity and specificity estimates for the HEP sample. The adjusted estimates of hypertension in the HEP sample based on two different correction models, 38.1% and 40.5%, were much closer to the observed hypertension prevalence of 40.1%.

RESEARCH ARTICLE Open Access Hypertension: Development of ...

Out-of-office (home or ambulatory 24 hour) BP measurements revealed that: (i) a 54% prevalence of actual hypertension in RA, in other words almost 10% of the patients were unaware of having hypertension and (ii) 29% of the RA patients with known hypertension were not well controlled.

RESEARCH ARTICLE Open Access Arterial hypertension assessed

RESEARCH Open Access Severe obesity in children: prevalence, persistence and relation to hypertension Joan C Lo^{1,2*}, Malini Chandra¹, Alan Sinaiko³, Stephen R Daniels⁴, Ronald J Prineas⁵, Benjamin

Maring², Emily D Parker⁶, Nancy E Sherwood⁶, Matthew F Daley⁷, Elyse O Kharbada⁶, Kenneth F Adams⁶, David J Magid^{4,7},

RESEARCH Open Access Severe obesity in children ...

RESEARCH ARTICLE Open Access Hypertension, kidney disease, HIV and antiretroviral therapy among Tanzanian adults: a cross-sectional study Robert N Peck^{1,2,3*}, Rehema Shedafa¹, Samuel Kalluvya^{1,2}, Jennifer A Downs^{1,2,3}, Jim Todd⁴, Manikkam Suthanthiran⁵, Daniel W Fitzgerald³ and Johannes B Kataraihya^{1,2} Abstract

RESEARCH ARTICLE Open Access Hypertension, kidney disease ...

RESEARCH ARTICLE Open Access. Prevalence and risk factors for resistant hypertension among hypertensive patients from a developing country. WA Nuwan Kumara¹, Thisara Perera^{1,2}, Mekhala Disanayake^{1,2}, Priyanga Ranasinghe^{3*} and Godwin R Constantine¹.

RESEARCH ARTICLE Open Access Prevalence and risk factors ...

RESEARCH ARTICLE Open Access The prevalence of traditional herbal medicine use among hypertensives living in South African communities Gail D Hughes^{1*}, Oluwaseyi M Aboyade¹, Bobby L Clark² and Thandi R Puoane³ Abstract

RESEARCH ARTICLE Open Access The prevalence of traditional ...

Open Access Information. With the advent of Open Access publishing, authors can now select whether their accepted, Original Research articles will be copyrighted as per the current model, or whether an Open Access Agreement is a better fit. Some funding agencies (eg, Research Councils UK) now request or re-

quire that their funded authors use an Open Access Agreement.

Open Access Information - AHA Journals

RESEARCH ARTICLE Open Access The relationship of ethnicity to the prevalence and management of hypertension and associated ... Results: The crude prevalence of hypertension was 9.5%, and by ethnicity was 8.2% for White, 11.3% for South Asian and 11.1% for Black groups. The prevalence of CKD stages 3-5 among those with hypertension was 22%.

RESEARCH ARTICLE Open Access The relationship of ethnicity ...

The prevalence of hypertension was very high in this population, coupled with low detection, treatment and control rates. Age, gender and excess weight were the main ... Open Access Research Downloaded from bmjopen.bmj.com on May 25, 2014 - Published by group.bmj.com.

Downloaded from bmjopen.bmj.com

on May 25, 2014 ...

Prevalence of hypertension. Hypertension was seen in over half of all 65-75 year olds, with the rate significantly higher than in the age bands below 45 years. Only 29 people had been treated with anti-hypertensive medication in the previous 2 weeks, and in only 22 of these (75.9%) was BP adequately controlled.

The prevalence of hypertension and hypertension risk ...

RESEARCH ARTICLE Open Access Hypertension awareness, treatment and control in Africa: a systematic review James Kayima^{1*}, Rhoda K Wanyenze², Achilles Katamba³, Elli Leontsini⁴ and Fred Nuwaha² Abstract Background: Inadequate diagnosis and suboptimal control of hypertension is a major driver of cardiovascular

The prevalence of hypertension and hypertension risk ...

RESEARCH ARTICLE Open Access Hypertension: Development of ...